

Certificate of conformity with the following European Directives

Registered No.:
44 799 24 406749 - 294

Low-Voltage Directive 2014/35/EU

Date of application	File reference	Test report No.	Date of issue	Place of issue
2024-03-18	PVP03017/24P	492012921.002	2024-08-16	Essen

This is to certify that the following products comply to the essential requirements of the above mentioned European Directive and the following standards, taking into account the German national deviations:

Product: Crystalline Silicon Terrestrial Photovoltaic (PV) Modules

Type designation: See Annex 1

Certificate holder: **DAH Solar Co., Ltd.**
No.1, Yaoyuan Road, Luyang District,
Hefei City, Anhui, P.R. China

Standard(s): EN IEC 61730-1:2018; EN IEC 61730-1:2018/AC:2018-06
EN IEC 61730-2:2018; EN IEC 61730-2:2018/AC:2018-06

This Certificate of conformity is based on the evaluation of samples of the product. It does not imply an assessment of the production and it does not permit the use of a mark of conformity or of a safety mark of the TÜV NORD CERT GmbH. The holder of this certificate may use this Certificate together with his EC-Declaration of Conformity, the CE marking may be affixed on the product if all relevant and effective Directives are complied with, under full responsibility of the holder.



Certification Body
Specialist Manager Consumer Products

TÜV NORD CERT GmbH
Am TÜV 1
D-45307 Essen
P.O.Box 10 32 61
D-45032 Essen
Fon: +49 (0)201 825-5120
Fax: +49 (0)201 825-3209
Email: prodcert@tuev-nord.de

Description of product(s):

Module types:

Double Glass PV Modules with 182 x 91 / 91.875 mm TOPCon Bifacial Mono Solar Cells:

144 cells: DHN-72X16/DG-xxxW (xxx = 565 - 595, in increment of 5)
144 cells: DHN-72X16/DG(BW)-xxxW (xxx = 565 - 595, in increment of 5)
144 cells: DHN-72X16/DG(BB)-xxxW (xxx = 565 - 595, in increment of 5)
144 cells: DHN-72X16/DG/FS-xxxW (xxx = 565 - 595, in increment of 5)
144 cells: DHN-72X16/DG/FS(BW)-xxxW (xxx = 565 - 595, in increment of 5)
144 cells: DHN-72X16/DG/FS(BB)-xxxW (xxx = 565 - 595, in increment of 5)
132 cells: DHN-66X16/DG-xxxW (xxx = 520 - 545, in increment of 5)
132 cells: DHN-66X16/DG(BW)-xxxW (xxx = 520 - 545, in increment of 5)
132 cells: DHN-66X16/DG(BB)-xxxW (xxx = 520 - 545, in increment of 5)
132 cells: DHN-66X16/DG/FS-xxxW (xxx = 520 - 545, in increment of 5)
132 cells: DHN-66X16/DG/FS(BW)-xxxW (xxx = 520 - 545, in increment of 5)
132 cells: DHN-66X16/DG/FS(BB)-xxxW (xxx = 520 - 545, in increment of 5)
120 cells: DHN-60X16/DG-xxxW (xxx = 470 - 495, in increment of 5)
120 cells: DHN-60X16/DG(BW)-xxxW (xxx = 470 - 495, in increment of 5)
120 cells: DHN-60X16/DG(BB)-xxxW (xxx = 470 - 495, in increment of 5)
120 cells: DHN-60X16/DG/FS-xxxW (xxx = 470 - 495, in increment of 5)
120 cells: DHN-60X16/DG/FS(BW)-xxxW (xxx = 470 - 495, in increment of 5)
120 cells: DHN-60X16/DG/FS(BB)-xxxW (xxx = 470 - 495, in increment of 5)
108 cells: DHN-54X16/DG-xxxW (xxx = 425 - 445, in increment of 5)
108 cells: DHN-54X16/DG(BW)-xxxW (xxx = 425 - 445, in increment of 5)
108 cells: DHN-54X16/DG(BB)-xxxW (xxx = 425 - 445, in increment of 5)
108 cells: DHN-54X16/DG/FS-xxxW (xxx = 425 - 445, in increment of 5)
108 cells: DHN-54X16/DG/FS(BW)-xxxW (xxx = 425 - 445, in increment of 5)
108 cells: DHN-54X16/DG/FS(BB)-xxxW (xxx = 425 - 445, in increment of 5)
xxx indicates rated output power generated from front side under STC

Module types:

Double Glass PV Modules with 182 x 91 / 91.875 mm TOPCon Bifacial Mono Solar Cells and Colorful Glass:

144 cells: DHN-72X16/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 415)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

- 570, in increment of 5)
- 144 cells: DHN-72X16/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 415 - 570, in increment of 5)
- 144 cells: DHN-72X16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 415 - 570, in increment of 5)
- 144 cells: DHN-72X16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 415 - 570, in increment of 5)
- 144 cells: DHN-72X16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 415 - 570, in increment of 5)
- 144 cells: DHN-72X16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 415 - 570, in increment of 5)
- 144 cells: DHN-72X16/DG(CM)-xxxW (xxx = 415 - 570, in increment of 5)
- 144 cells: DHN-72X16/DG/FS(CM)-xxxW (xxx = 415 - 570, in increment of 5)
- 132 cells: DHN-66X16/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 380 - 520, in increment of 5)
- 132 cells: DHN-66X16/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 380 - 520, in increment of 5)
- 132 cells: DHN-66X16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 380 - 520, in increment of 5)
- 132 cells: DHN-66X16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 380 - 520, in increment of 5)
- 132 cells: DHN-66X16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 380 - 520, in increment of 5)
- 132 cells: DHN-66X16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 380 - 520, in increment of 5)
- 132 cells: DHN-66X16/DG(CM)-xxxW (xxx = 380 - 520, in increment of 5)
- 132 cells: DHN-66X16/DG/FS(CM)-xxxW (xxx = 380 - 520, in increment of 5)
- 120 cells: DHN-60X16/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 345 - 475, in increment of 5)
- 120 cells: DHN-60X16/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 345 - 475, in increment of 5)
- 120 cells: DHN-60X16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 345 - 475, in increment of 5)
- 120 cells: DHN-60X16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 345 - 475, in increment of 5)
- 120 cells: DHN-60X16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 345 - 475, in increment of 5)
- 120 cells: DHN-60X16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 345 - 475, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

345 - 475, in increment of 5)
120 cells: DHN-60X16/DG(CM)-xxxW (xxx = 345 - 475, in increment of 5)
120 cells: DHN-60X16/DG/FS(CM)-xxxW (xxx = 345 - 475, in increment of 5)
108 cells: DHN-54X16/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 310 - 425, in increment of 5)
108 cells: DHN-54X16/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 310 - 425, in increment of 5)
108 cells: DHN-54X16/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 310 - 425, in increment of 5)
108 cells: DHN-54X16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 310 - 425, in increment of 5)
108 cells: DHN-54X16/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 310 - 425, in increment of 5)
108 cells: DHN-54X16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 310 - 425, in increment of 5)
108 cells: DHN-54X16/DG(CM)-xxxW (xxx = 310 - 425, in increment of 5)
108 cells: DHN-54X16/DG/FS(CM)-xxxW (xxx = 310 - 425, in increment of 5)
xxx indicates rated output power generated from front side under STC

Module types:

Double Glass PV Modules with 182 x 95.8 mm TOPCon Bifacial Mono Solar Cells:

144 cells: DHN-72R18/DG-xxxW (xxx = 595 - 625, in increment of 5)
144 cells: DHN-72R18/DG(BW)-xxxW (xxx = 595 - 625, in increment of 5)
144 cells: DHN-72R18/DG(BB)-xxxW (xxx = 595 - 625, in increment of 5)
144 cells: DHN-72R18/DG/FS-xxxW (xxx = 595 - 625, in increment of 5)
144 cells: DHN-72R18/DG/FS(BW)-xxxW (xxx = 595 - 625, in increment of 5)
144 cells: DHN-72R18/DG/FS(BB)-xxxW (xxx = 595 - 625, in increment of 5)
144 cells: DHN-72R20/DG-xxxW (xxx = 595 - 625, in increment of 5)
144 cells: DHN-72R20/DG(BW)-xxxW (xxx = 595 - 625, in increment of 5)
144 cells: DHN-72R20/DG(BB)-xxxW (xxx = 595 - 625, in increment of 5)
144 cells: DHN-72R20/DG/FS-xxxW (xxx = 595 - 625, in increment of 5)
144 cells: DHN-72R20/DG/FS(BW)-xxxW (xxx = 595 - 625, in increment of 5)
144 cells: DHN-72R20/DG/FS(BB)-xxxW (xxx = 595 - 625, in increment of 5)
132 cells: DHN-66R18/DG-xxxW (xxx = 545 - 570, in increment of 5)
132 cells: DHN-66R18/DG(BW)-xxxW (xxx = 545 - 570, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

132 cells: DHN-66R18/DG (BB)-xxxW (xxx = 545 - 570, in increment of 5)
132 cells: DHN-66R18/DG/FS-xxxW (xxx = 545 - 570, in increment of 5)
132 cells: DHN-66R18/DG/FS(BW)-xxxW (xxx = 545 - 570, in increment of 5)
132 cells: DHN-66R18/DG/FS(BB)-xxxW (xxx = 545 - 570, in increment of 5)
132 cells: DHN-66R20/DG-xxxW (xxx = 545 - 570, in increment of 5)
132 cells: DHN-66R20/DG(BW)-xxxW (xxx = 545 - 570, in increment of 5)
132 cells: DHN-66R20/DG (BB)-xxxW (xxx = 545 - 570, in increment of 5)
132 cells: DHN-66R20/DG/FS-xxxW (xxx = 545 - 570, in increment of 5)
132 cells: DHN-66R20/DG/FS(BW)-xxxW (xxx = 545 - 570, in increment of 5)
132 cells: DHN-66R20/DG/FS(BB)-xxxW (xxx = 545 - 570, in increment of 5)
120 cells: DHN-60R18/DG-xxxW (xxx = 495 - 520, in increment of 5)
120 cells: DHN-60R18/DG(BW)-xxxW (xxx = 495 - 520, in increment of 5)
120 cells: DHN-60R18/DG (BB)-xxxW (xxx = 495 - 520, in increment of 5)
120 cells: DHN-60R18/DG/FS-xxxW (xxx = 495 - 520, in increment of 5)
120 cells: DHN-60R18/DG/FS(BW)-xxxW (xxx = 495 - 520, in increment of 5)
120 cells: DHN-60R18/DG/FS(BB)-xxxW (xxx = 495 - 520, in increment of 5)
120 cells: DHN-60R20/DG-xxxW (xxx = 495 - 520, in increment of 5)
120 cells: DHN-60R20/DG(BW)-xxxW (xxx = 495 - 520, in increment of 5)
120 cells: DHN-60R20/DG (BB)-xxxW (xxx = 495 - 520, in increment of 5)
120 cells: DHN-60R20/DG/FS-xxxW (xxx = 495 - 520, in increment of 5)
120 cells: DHN-60R20/DG/FS(BW)-xxxW (xxx = 495 - 520, in increment of 5)
120 cells: DHN-60R20/DG/FS(BB)-xxxW (xxx = 495 - 520, in increment of 5)
108 cells: DHN-54R18/DG-xxxW (xxx = 445 - 465, in increment of 5)
108 cells: DHN-54R18/DG(BW)-xxxW (xxx = 445 - 465, in increment of 5)
108 cells: DHN-54R18/DG (BB)-xxxW (xxx = 445 - 465, in increment of 5)
108 cells: DHN-54R18/DG/FS-xxxW (xxx = 445 - 465, in increment of 5)
108 cells: DHN-54R18/DG/FS(BW)-xxxW (xxx = 445 - 465, in increment of 5)
108 cells: DHN-54R18/DG/FS(BB)-xxxW (xxx = 445 - 465, in increment of 5)
108 cells: DHN-54R20/DG-xxxW (xxx = 445 - 465, in increment of 5)
108 cells: DHN-54R20/DG(BW)-xxxW (xxx = 445 - 465, in increment of 5)
108 cells: DHN-54R20/DG (BB)-xxxW (xxx = 445 - 465, in increment of 5)
108 cells: DHN-54R20/DG/FS-xxxW (xxx = 445 - 465, in increment of 5)
108 cells: DHN-54R20/DG/FS(BW)-xxxW (xxx = 445 - 465, in increment of 5)
108 cells: DHN-54R20/DG/FS(BB)-xxxW (xxx = 445 - 465, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

xxx indicates rated output power generated from front side under STC

Module types:

Double Glass PV Modules with 182 x 95.8 mm TOPCon Bifacial Mono Solar Cells and Colorful Glass:

144 cells: DHN-72R20/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 430 - 600, in increment of 5)

144 cells: DHN-72R20/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 430 - 600, in increment of 5)

144 cells: DHN-72R20/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 430 - 600, in increment of 5)

144 cells: DHN-72R20/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 430 - 600, in increment of 5)

144 cells: DHN-72R20/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 430 - 600, in increment of 5)

144 cells: DHN-72R20/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 430 - 600, in increment of 5)

144 cells: DHN-72R20/DG(CM)-xxxW (xxx = 430 - 600, in increment of 5)

144 cells: DHN-72R20/DG/FS(CM)-xxxW (xxx = 430 - 600, in increment of 5)

144 cells: DHN-72R18/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 430 - 600, in increment of 5)

144 cells: DHN-72R18/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 430 - 600, in increment of 5)

144 cells: DHN-72R18/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 430 - 600, in increment of 5)

144 cells: DHN-72R18/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 430 - 600, in increment of 5)

144 cells: DHN-72R18/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 430 - 600, in increment of 5)

144 cells: DHN-72R18/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 430 - 600, in increment of 5)

144 cells: DHN-72R18/DG(CM)-xxxW (xxx = 430 - 600, in increment of 5)

144 cells: DHN-72R18/DG/FS(CM)-xxxW (xxx = 430 - 600, in increment of 5)

132 cells: DHN-66R20/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 395 - 550, in increment of 5)

132 cells: DHN-66R20/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 395 - 550, in increment of 5)

132 cells: DHN-66R20/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 395 -



TÜV NORD CERT GmbH
Certification Body
Consumer Products

550, in increment of 5)
132 cells: DHN-66R20/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 395 - 550, in increment of 5)
132 cells: DHN-66R20/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 395 - 550, in increment of 5)
132 cells: DHN-66R20/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 395 - 550, in increment of 5)
132 cells: DHN-66R20/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 395 - 550, in increment of 5)
132 cells: DHN-66R20/DG/FS(CM)-xxxW (xxx = 395 - 550, in increment of 5)
132 cells: DHN-66R20/DG/FS(CM)-xxxW (xxx = 395 - 550, in increment of 5)
132 cells: DHN-66R18/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 395 - 550, in increment of 5)
132 cells: DHN-66R18/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 395 - 550, in increment of 5)
132 cells: DHN-66R18/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 395 - 550, in increment of 5)
132 cells: DHN-66R18/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 395 - 550, in increment of 5)
132 cells: DHN-66R18/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 395 - 550, in increment of 5)
132 cells: DHN-66R18/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 395 - 550, in increment of 5)
132 cells: DHN-66R18/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 395 - 550, in increment of 5)
132 cells: DHN-66R18/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 395 - 550, in increment of 5)
132 cells: DHN-66R18/DG/FS(CM)-xxxW (xxx = 395 - 550, in increment of 5)
132 cells: DHN-66R18/DG/FS(CM)-xxxW (xxx = 395 - 550, in increment of 5)
120 cells: DHN-60R20/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 360 - 500, in increment of 5)
120 cells: DHN-60R20/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 360 - 500, in increment of 5)
120 cells: DHN-60R20/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 360 - 500, in increment of 5)
120 cells: DHN-60R20/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 360 - 500, in increment of 5)
120 cells: DHN-60R20/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 360 - 500, in increment of 5)
120 cells: DHN-60R20/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 360 - 500, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

120 cells: DHN-60R20/DG(CM)-xxxW (xxx = 360 - 500, in increment of 5)
120 cells: DHN-60R20/DG/FS(CM)-xxxW (xxx = 360 - 500, in increment of 5)
120 cells: DHN-60R18/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 360 - 500, in increment of 5)
120 cells: DHN-60R18/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 360 - 500, in increment of 5)
120 cells: DHN-60R18/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 360 - 500, in increment of 5)
120 cells: DHN-60R18/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 360 - 500, in increment of 5)
120 cells: DHN-60R18/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 360 - 500, in increment of 5)
120 cells: DHN-60R18/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 360 - 500, in increment of 5)
120 cells: DHN-60R18/DG(CM)-xxxW (xxx = 360 - 500, in increment of 5)
120 cells: DHN-60R18/DG/FS(CM)-xxxW (xxx = 360 - 500, in increment of 5)
108 cells: DHN-54R20/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 325 - 450, in increment of 5)
108 cells: DHN-54R20/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 325 - 450, in increment of 5)
108 cells: DHN-54R20/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 325 - 450, in increment of 5)
108 cells: DHN-54R20/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 325 - 450, in increment of 5)
108 cells: DHN-54R20/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 325 - 450, in increment of 5)
108 cells: DHN-54R20/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 325 - 450, in increment of 5)
108 cells: DHN-54R20/DG(CM)-xxxW (xxx = 325 - 450, in increment of 5)
108 cells: DHN-54R20/DG/FS(CM)-xxxW (xxx = 325 - 450, in increment of 5)
108 cells: DHN-54R18/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 325 - 450, in increment of 5)
108 cells: DHN-54R18/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 325 - 450, in increment of 5)
108 cells: DHN-54R18/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 325 - 450, in increment of 5)
108 cells: DHN-54R18/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 325 - 450, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

325 - 450, in increment of 5)

108 cells: DHN-54R18/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 325 - 450, in increment of 5)

108 cells: DHN-54R18/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 325 - 450, in increment of 5)

108 cells: DHN-54R18/DG(CM)-xxxW (xxx = 325 - 450, in increment of 5)

108 cells: DHN-54R18/DG/FS(CM)-xxxW (xxx = 325 - 450, in increment of 5)

xxx indicates rated output power generated from front side under STC

Module types:

Double Glass PV Modules with 182 x 84.6 mm TOPCon Bifacial Mono Solar Cells:

156 cells: DHN-78S16/DG-xxxW (xxx = 565 - 595, in increment of 5)

156 cells: DHN-78S16/DG(BW)-xxxW (xxx = 565 - 595, in increment of 5)

156 cells: DHN-78S16/DG (BB)-xxxW (xxx = 565 - 595, in increment of 5)

156 cells: DHN-78S16/DG/FS-xxxW (xxx = 565 - 595, in increment of 5)

156 cells: DHN-78S16/DG/FS(BW)-xxxW (xxx = 565 - 595, in increment of 5)

156 cells: DHN-78S16/DG/FS(BB)-xxxW (xxx = 565 - 595, in increment of 5)

xxx indicates rated output power generated from front side under STC

Module types:

Double Glass PV Modules with 182 x 94 mm TOPCon Bifacial Mono Solar Cells:

144 cells: DHN-72K16/DG-xxxW (xxx = 585 - 615, in increment of 5)

144 cells: DHN-72K16/DG(BW)-xxxW (xxx = 585 - 615, in increment of 5)

144 cells: DHN-72K16/DG(BB)-xxxW (xxx = 585 - 615, in increment of 5)

144 cells: DHN-72K16/DG/FS-xxxW (xxx = 585 - 615, in increment of 5)

144 cells: DHN-72K16/DG/FS(BW)-xxxW (xxx = 585 - 615, in increment of 5)

144 cells: DHN-72K16/DG/FS(BB)-xxxW (xxx = 585 - 615, in increment of 5)

132 cells: DHN-66K16/DG-xxxW (xxx = 535 - 560, in increment of 5)

132 cells: DHN-66K16/DG(BW)-xxxW (xxx = 535 - 560, in increment of 5)

132 cells: DHN-66K16/DG (BB)-xxxW (xxx = 535 - 560, in increment of 5)

132 cells: DHN-66K16/DG/FS-xxxW (xxx = 535 - 560, in increment of 5)

132 cells: DHN-66K16/DG/FS(BW)-xxxW (xxx = 535 - 560, in increment of 5)

132 cells: DHN-66K16/DG/FS(BB)-xxxW (xxx = 535 - 560, in increment of 5)

120 cells: DHN-60K16/DG-xxxW (xxx = 490 - 510, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

120 cells: DHN-60K16/DG(BW)-xxxW (xxx = 490 - 510, in increment of 5)
120 cells: DHN-60K16/DG (BB)-xxxW (xxx = 490 - 510, in increment of 5)
120 cells: DHN-60K16/DG/FS-xxxW (xxx =490 - 510, in increment of 5)
120 cells: DHN-60K16/DG/FS(BW)-xxxW (xxx =490 - 510, in increment of 5)
120 cells: DHN-60K16/DG/FS(BB)-xxxW (xxx = 490 - 510, in increment of 5)
108 cells: DHN-54K16/DG-xxxW (xxx = 440 - 460, in increment of 5)
108 cells: DHN-54K16/DG(BW)-xxxW (xxx = 440 - 460, in increment of 5)
108 cells: DHN-54K16/DG (BB)-xxxW (xxx = 440 - 460, in increment of 5)
108 cells: DHN-54K16/DG/FS-xxxW (xxx =440 - 460, in increment of 5)
108 cells: DHN-54K16/DG/FS(BW)-xxxW (xxx =440 - 460, in increment of 5)
108 cells: DHN-54K16/DG/FS(BB)-xxxW (xxx = 440 - 460, in increment of 5)
xxx indicates rated output power generated from front side under STC

Module types:

Double Glass PV Modules with 182 x 105 mm TOPCon Bifacial Mono Solar Cells:

132 cells: DHN-66Z16/DG-xxxW (xxx = 585 - 625, in increment of 5)
132 cells: DHN-66Z16/DG(BW)-xxxW (xxx = 585 - 625, in increment of 5)
132 cells: DHN-66Z16/DG (BB)-xxxW (xxx = 585 - 625, in increment of 5)
132 cells: DHN-66Z16/DG/FS-xxxW (xxx = 585 - 625, in increment of 5)
132 cells: DHN-66Z16/DG/FS(BW)-xxxW (xxx = 585 - 625, in increment of 5)
132 cells: DHN-66Z16/DG/FS(BB)-xxxW (xxx = 585 - 625, in increment of 5)
120cells: DHN-60Z16/DG-xxxW (xxx = 530 - 565, in increment of 5)
120 cells: DHN-60Z16/DG(BW)-xxxW (xxx = 530 - 565, in increment of 5)
120 cells: DHN-60Z16/DG (BB)-xxxW (xxx = 530 - 565, in increment of 5)
120 cells: DHN-60Z16/DG/FS-xxxW (xxx = 530 - 565, in increment of 5)
120 cells: DHN-60Z16/DG/FS(BW)-xxxW (xxx = 530 - 565, in increment of 5)
120 cells: DHN-60Z16/DG/FS(BB)-xxxW (xxx = 530 - 565, in increment of 5)
108 cells: DHN-54Z16/DG-xxxW (xxx = 480 - 510, in increment of 5)
108 cells: DHN-54Z16/DG(BW)-xxxW (xxx = 480 - 510, in increment of 5)
108 cells: DHN-54Z16/DG (BB)-xxxW (xxx = 480 - 510, in increment of 5)
108 cells: DHN-54Z16/DG/FS-xxxW (xxx = 480 - 510, in increment of 5)
108 cells: DHN-54Z16/DG/FS(BW)-xxxW (xxx = 480 - 510, in increment of 5)
108 cells: DHN-54Z16/DG/FS(BB)-xxxW (xxx = 480 - 510, in increment of 5)
96 cells: DHN-48Z16/DG-xxxW (xxx = 425 - 455, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

96 cells: DHN-48Z16/DG(BW)-xxxW (xxx = 425 - 455, in increment of 5)
96 cells: DHN-48Z16/DG (BB)-xxxW (xxx = 425 - 455, in increment of 5)
96 cells: DHN-48Z16/DG/FS-xxxW (xxx = 425 - 455, in increment of 5)
96 cells: DHN-48Z16/DG/FS(BW)-xxxW (xxx = 425 - 455, in increment of 5)
96 cells: DHN-48Z16/DG/FS(BB)-xxxW (xxx = 425 - 455, in increment of 5)
xxx indicates rated output power generated from front side under STC

Module types:

Double Glass PV Modules with 182 x 105 mm TOPCon Bifacial Mono Solar Cells and Colorful Glass:

132 cells: DHN-66Z16/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 435 - 600, in increment of 5)
132 cells: DHN-66Z16/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 435 - 600, in increment of 5)
132 cells: DHN-66Z16/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 435 - 600, in increment of 5)
132 cells: DHN-66Z16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 435 - 600, in increment of 5)
132 cells: DHN-66Z16/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 435 - 600, in increment of 5)
132 cells: DHN-66Z16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 435 - 600, in increment of 5)
132 cells: DHN-66Z16/DG(CM)-xxxW (xxx = 435 - 600, in increment of 5)
132 cells: DHN-66Z16/DG/FS(CM)-xxxW (xxx = 435 - 600, in increment of 5)
120 cells: DHN-60Z16/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 395 - 545, in increment of 5)
120 cells: DHN-60Z16/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 395 - 545, in increment of 5)
120 cells: DHN-60Z16/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 395 - 545, in increment of 5)
120 cells: DHN-60Z16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 395 - 545, in increment of 5)
120 cells: DHN-60Z16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 395 - 545, in increment of 5)
120 cells: DHN-60Z16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 395 - 545, in increment of 5)
120 cells: DHN-60Z16/DG(CM)-xxxW (xxx = 395 - 545, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

120 cells: DHN-60Z16/DG/FS(CM)-xxxW (xxx = 395 - 545, in increment of 5)
108 cells: DHN-54Z16/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 355 - 490, in increment of 5)
108 cells: DHN-54Z16/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 355 - 490, in increment of 5)
108 cells: DHN-54Z16/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 355 - 490, in increment of 5)
108 cells: DHN-54Z16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 355 - 490, in increment of 5)
108 cells: DHN-54Z16/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 355 - 490, in increment of 5)
108 cells: DHN-54Z16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 355 - 490, in increment of 5)
108 cells: DHN-54Z16/DG(CM)-xxxW (xxx = 355 - 490, in increment of 5)
108 cells: DHN-54Z16/DG/FS(CM)-xxxW (xxx = 355 - 490, in increment of 5)
96 cells: DHN-48Z16/DG(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 315 - 435, in increment of 5)
96 cells: DHN-48Z16/DG/FS(RB/CB/TB/AB/MB/LB/OB/SB/IB)-xxxW (xxx = 315 - 435, in increment of 5)
96 cells: DHN-48Z16/DG(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 315 - 435, in increment of 5)
96 cells: DHN-48Z16/DG/FS(RR/CC/TT/AA/MM/LL/OO/SS/II)-xxxW (xxx = 315 - 435, in increment of 5)
96 cells: DHN-48Z16/DG(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 315 - 435, in increment of 5)
96 cells: DHN-48Z16/DG/FS(RS/CS/TS/AS/MS/LS/OS/SS/IS)-xxxW (xxx = 315 - 435, in increment of 5)
96 cells: DHN-48Z16/DG(CM)-xxxW (xxx = 315 - 435, in increment of 5)
96 cells: DHN-48Z16/DG/FS(CM)-xxxW (xxx = 315 - 435, in increment of 5)
xxx indicates rated output power generated from front side under STC



TÜV NORD CERT GmbH
Certification Body
Consumer Products