

CERTIFICATE

TÜV NORD CERT GmbH

herewith declares that

Anhui Daheng Energy Technology Co., Ltd.

No.01, Yaoyuan Road, Luyang District,

Hefei City, Anhui Province,

P.R. China

is authorized to provide the product mentioned below with the mark as illustrated:

Description of product (details see Annex 2):

Crystalline Silicon Terrestrial Photovoltaic (PV) Modules



Valid from: 2022-10-10

Valid until: 2024-06-13

Certification program:	P12-VA-01 Rev. 17 09.20
Certification fundamental(s):	IEC / EN 61215-1:2016; IEC / EN 61215-1-1:2016; IEC 61215-2:2016 / EN 61215-2:2017 + AC:2017 + AC:2018; IEC 61730-1:2016 / EN IEC 61730-1:2018 + AC:2018; IEC 61730-2:2016 / EN IEC 61730-2:2018 + AC:2018.
Registered No.:	44 780 19 406749 - 367R7A1M7
Manufacturer:	see Annex 1
Test Report No.:	492011236.012
File No.:	PVP09128/22P-01



TÜV NORD CERT GmbH
Certification Body
Consumer Products



Essen, 2022-10-10

Please also pay attention to the information stated overleaf.

Anlage 1 zum Zertifikat Nr.: / Annex 1 to Certificate No.: 44 780 19 406749 - 367R7A1M7

Seite / Page 1 von / of 1

Aktenzeichen: / File reference: PVP09128/22P-01

2022-10-10

Manufacturer:

Manufacturer: **Anhui Daheng Energy Technology Co., Ltd.**
No.01, Yaoyuan Road, Luyang District,
Hefei City, Anhui Province, P.R. China

Factory inspection report no.: 862010588.001

Remark:

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Description of product(s):

Module types:	PV Modules with Mono-crystalline Silicon Solar Cells (156.75mm to 166mm): 72 cells: DHM72-xxxW (xxx = 325 - 370, in increment of 5) 72 cells: DHM72/FS-xxxW (xxx = 325 - 370, in increment of 5) 60 cells: DHM60-xxxW (xxx = 275 - 310, in increment of 5) 60 cells: DHM60/FS-xxxW (xxx = 275 - 310, in increment of 5) 72 cells: DHM72X-xxxW (xxx= 370 - 390, in increment of 5) 72 cells: DHM72X/FS-xxxW (xxx= 370 - 390, in increment of 5) 60 cells: DHM60X-xxxW (xxx= 310 - 325, in increment of 5) 60 cells: DHM60X/FS-xxxW (xxx= 310 - 325, in increment of 5)
Maximum system voltage:	1500V
Fuse rating:	16A
Electrical protection class:	Class II
Pollution degree:	1
Material group:	I
Design load (positive / negative):	3600Pa / 1600Pa
Safety factors:	1.5
Fire safety class:	Class C according to ANSI/UL 1703-2018 (as per ANSI/UL 790-2018)

Module types:	PV Modules with Mono-crystalline Silicon Half-cut Solar Cells (156.75mm to 166mm): 144 cells: HCM72-xxxW (xxx = 350 - 390, in increment of 5) 144 cells: HCM72/FS-xxxW (xxx = 350 - 390, in increment of 5) 120 cells: HCM60-xxxW (xxx = 290 - 325, in increment of 5) 120 cells: HCM60/FS-xxxW (xxx = 290 - 325, in increment of 5) 156 cells: HCM78X9-xxxW (xxx = 415 - 455, in increment of 5) 156 cells: HCM78X9/FS-xxxW (xxx = 415 - 455, in increment of 5) 144 cells: HCM72X9-xxxW (xxx = 385 - 420, in increment of 5) 144 cells: HCM72X9/FS-xxxW (xxx = 385 - 420, in increment of 5) 120 cells: HCM60X9-xxxW (xxx = 320 - 350, in increment of 5) 120 cells: HCM60X9/FS-xxxW (xxx = 320 - 350, in increment of 5) 144 cells: DHM-72L9-xxxW (xxx = 430 - 465, in increment of 5) 144 cells: DHM-72L9(BW)-xxxW (xxx = 430 - 465, in increment of 5) 144 cells: DHM-72L9(BB)-xxxW (xxx = 430 - 465, in increment of 5) 144 cells: DHM-72L9/FS-xxxW (xxx = 430 - 465, in increment of 5) 144 cells: DHM-72L9/FS(BW)-xxxW (xxx = 430 - 465, in increment of 5)
---------------	---



TÜV NORD CERT GmbH
Certification Body
Consumer Products

144 cells: DHM-72L9/FS(BB)-xxxW (xxx = 430 - 465, in increment of 5)
144 cells: DHM-72L9/BF-xxxW (xxx = 430 - 465, in increment of 5)
144 cells: DHM-72L9/BF(BW)-xxxW (xxx = 430 - 465, in increment of 5)
144 cells: DHM-72L9/BF(BB)-xxxW (xxx = 430 - 465, in increment of 5)
144 cells: DHM-72L9/BF/FS -xxxW (xxx = 430 - 465, in increment of 5)
144 cells: DHM-72L9/BF/FS(BW)-xxxW (xxx = 430 - 465, in increment of 5)
144 cells: DHM-72L9/BF/FS(BB)-xxxW (xxx = 430 - 465, in increment of 5)
132 cells: DHM-66L9-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9(BW)-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9(BB)-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/FS-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/FS(BW)-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/FS(BB)-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/BF-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/BF(BW)-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/BF(BB)-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/BF/FS -xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/BF/FS(BW)-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/BF/FS(BB)-xxxW (xxx = 395 - 425, in increment of 5)
120 cells: DHM-60L9-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9(BW)-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9(BB)-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/FS-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/FS(BW)-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/FS(BB)-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/BF-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/BF(BW)-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/BF(BB)-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/BF/FS -xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/BF/FS(BW)-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/BF/FS(BB)-xxxW (xxx = 360 - 385, in increment of 5)

Maximum system voltage: 1500V



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Fuse rating:	20A
Electrical protection class:	Class II
Pollution degree:	1
Material group:	I
Design load (positive / negative):	3600Pa / 1600Pa
Safety factors:	1.5
Fire safety class:	Class C according to ANSI/UL 1703-2018 (as per ANSI/UL 790-2018)

Module types:

PV Modules with 182mm Mono-crystalline Silicon Half-cut Solar Cells:

- 156 cells: DHM-78X10-xxxW (xxx = 570 - 590, in increment of 5)
- 156 cells: DHM-78X10(BW)-xxxW (xxx = 570 - 590, in increment of 5)
- 156 cells: DHM-78X10(BB)-xxxW (xxx = 570 - 590, in increment of 5)
- 156 cells: DHM-78X10/FS-xxxW (xxx = 570 - 590, in increment of 5)
- 156 cells: DHM-78X10/FS(BW)-xxxW (xxx = 570 - 590, in increment of 5)
- 156 cells: DHM-78X10/FS(BB)-xxxW (xxx = 570 - 590, in increment of 5)
- 156 cells: DHM-78X10/BF-xxxW (xxx = 570 - 590, in increment of 5)
- 156 cells: DHM-78X10/BF(BW)-xxxW (xxx = 570 - 590, in increment of 5)
- 156 cells: DHM-78X10/BF(BB)-xxxW (xxx = 570 - 590, in increment of 5)
- 156 cells: DHM-78X10/BF/FS-xxxW (xxx = 570 - 590, in increment of 5)
- 156 cells: DHM-78X10/BF/FS(BW)-xxxW (xxx = 570 - 590, in increment of 5)
- 156 cells: DHM-78X10/BF/FS(BB)-xxxW (xxx = 570 - 590, in increment of 5)
- 144 cells: DHM-72X10-xxxW (xxx = 525 - 555, in increment of 5)
- 144 cells: DHM-72X10(BW)-xxxW (xxx = 525 - 555, in increment of 5)
- 144 cells: DHM-72X10(BB)-xxxW (xxx = 525 - 555, in increment of 5)
- 144 cells: DHM-72X10/FS-xxxW (xxx = 525 - 555, in increment of 5)
- 144 cells: DHM-72X10/FS(BW)-xxxW (xxx = 525 - 555, in increment of 5)
- 144 cells: DHM-72X10/FS(BB)-xxxW (xxx = 525 - 555, in increment of 5)
- 144 cells: DHM-72X10/BF-xxxW (xxx = 525 - 555, in increment of 5)
- 144 cells: DHM-72X10/BF(BW)-xxxW (xxx = 525 - 555, in increment of 5)
- 144 cells: DHM-72X10/BF(BB)-xxxW (xxx = 525 - 555, in increment of 5)
- 144 cells: DHM-72X10/BF/FS-xxxW (xxx = 525 - 555, in increment of 5)
- 144 cells: DHM-72X10/BF/FS(BW)-xxxW (xxx = 525 - 555, in increment of 5)
- 144 cells: DHM-72X10/BF/FS(BB)-xxxW (xxx = 525 - 555, in increment of 5)
- 132 cells: DHM-66X10-xxxW (xxx = 485 - 505, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

132 cells: DHM-66X10(BW)-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10(BB)-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10(FS)-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10(FS(BW))-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10(FS(BB))-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10(BF)-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10(BF(BW))-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10(BF(BB))-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10(BF/FS)-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10(BF/FS(BW))-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10(BF/FS(BB))-xxxW (xxx = 485 - 505, in increment of 5)
120 cells: DHM-60X10-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10(BW)-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10(BB)-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10(FS)-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10(FS(BW))-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10(FS(BB))-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10(BF)-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10(BF(BW))-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10(BF(BB))-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10(BF/FS)-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10(BF/FS(BW))-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10(BF/FS(BB))-xxxW (xxx = 440 - 460, in increment of 5)
108 cells: DHM-54X10-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10(BW)-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10(BB)-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10(FS)-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10(FS(BW))-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10(FS(BB))-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10(BF)-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10(BF(BW))-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10(BF(BB))-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10(BF/FS)-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10(BF/FS(BW))-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10(BF/FS(BB))-xxxW (xxx = 395 - 415, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Maximum system voltage:	1500V
Fuse rating:	25A
Electrical protection class:	Class II
Pollution degree:	1
Material group:	I
Design load (positive / negative):	3600Pa / 1600Pa
Safety factors:	1.5
Fire safety class:	Class C according to ANSI/UL 1703-2018 (as per ANSI/UL 790-2018)

Module types:

PV Modules with 182mm Mono-crystalline Silicon 1/3-cut Solar Cells:

- 216 cells: DHT-M72X10-xxxW (xxx = 525 - 555, in increment of 5)
- 216 cells: DHM-T72X10-xxxW (xxx = 525 - 555, in increment of 5)
- 216 cells: DHM-T72X10(BW)-xxxW (xxx = 525 - 555, in increment of 5)
- 216 cells: DHM-T72X10(BB)-xxxW (xxx = 525 - 555, in increment of 5)
- 216 cells: DHM-T72X10/FS-xxxW (xxx = 525 - 555, in increment of 5)
- 216 cells: DHM-T72X10/FS(BW)-xxxW (xxx = 525 - 555, in increment of 5)
- 216 cells: DHM-T72X10/FS(BB)-xxxW (xxx = 525 - 555, in increment of 5)
- 216 cells: DHM-T72X10/BF-xxxW (xxx = 525 - 555, in increment of 5)
- 216 cells: DHM-T72X10/BF(BW)-xxxW (xxx = 525 - 555, in increment of 5)
- 216 cells: DHM-T72X10/BF(BB)-xxxW (xxx = 525 - 555, in increment of 5)
- 216 cells: DHM-T72X10/BF/FS-xxxW (xxx = 525 - 555, in increment of 5)
- 216 cells: DHM-T72X10/BF/FS(BW)-xxxW (xxx = 525 - 555, in increment of 5)
- 216 cells: DHM-T72X10/BF/FS(BB)-xxxW (xxx = 525 - 555, in increment of 5)
- 180 cells: DHT-M60X10-xxxW (xxx = 440 - 460, in increment of 5)
- 180 cells: DHM-T60X10-xxxW (xxx = 440 - 460, in increment of 5)
- 180 cells: DHM-T60X10(BW)-xxxW (xxx = 440 - 460, in increment of 5)
- 180 cells: DHM-T60X10(BB)-xxxW (xxx = 440 - 460, in increment of 5)
- 180 cells: DHM-T60X10/FS-xxxW (xxx = 440 - 460, in increment of 5)
- 180 cells: DHM-T60X10/FS(BW)-xxxW (xxx = 440 - 460, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

180 cells: DHM-T60X10/FS(BB)-xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10/BF-xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10/BF(BW)-xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10/BF(BB)-xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10/BF/FS -xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10/BF/FS(BW)-xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10/BF/FS(BB)-xxxW (xxx = 440 - 460, in increment of 5)

Maximum system voltage: 1500V
Fuse rating: 25A
Electrical protection class: Class II
Pollution degree: 1
Material group: I
Design load (positive / negative): 3600Pa / 1600Pa
Safety factors: 1.5
Fire safety class: Class C according to ANSI/UL 1703-2018 (as per ANSI/UL 790-2018)

Remark:

For detailed product information, please refer to CDF (Constructional Data Form) in Annex 1 of test report.



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Certificate of conformity with the following European Directives

Registered No.:
44 799 22 406749 - 142

Low-Voltage Directive 2014/35/EU

Date of application	File reference	Test report No.	Date of issue	Place of issue
2022-09-26	PVP09128/22P-01	492011236.012	2022-10-13	Essen

This is to certify that the following products comply to the essential requirements of the above mentioned European Directive and the following standards, taking into account the German national deviations:

Product: Crystalline Silicon Terrestrial Photovoltaic (PV) Modules

Type designation: See Annex 1

Applicant: **Anhui Daheng Energy Technology Co., Ltd.**
No.01, Yaoyuan Road, Luyang District,
Hefei City, Anhui Province,
P.R. China

Standard(s): EN IEC 61730-1:2018; EN IEC 61730-1:2018/AC:2018-06
EN IEC 61730-2:2018; EN IEC 61730-2:2018/AC:2018-06

This Certificate of conformity is based on the evaluation of samples of the product. It does not imply an assessment of the production and it does not permit the use of a mark of conformity or of a safety mark of the TÜV NORD CERT GmbH. The holder of this certificate may use this Certificate together with his EC-Declaration of Conformity.

Certification Body
Specialist Manager Consumer Products

TÜV NORD CERT GmbH
Am TÜV 1
D-45307 Essen
P.O.Box 10 32 61
D-45032 Essen
Fon: +49 (0)201 825-5120
Fax: +49 (0)201 825-3209
Email: prodcert@tuev-nord.de

Description of product(s):

Module types: **PV Modules with Mono-crystalline Silicon Solar Cells (156.75mm to 166mm):**

- 72 cells: DHM72-xxxW (xxx = 325 - 370, in increment of 5)
- 72 cells: DHM72/FS-xxxW (xxx = 325 - 370, in increment of 5)
- 60 cells: DHM60-xxxW (xxx = 275 - 310, in increment of 5)
- 60 cells: DHM60/FS-xxxW (xxx = 275 - 310, in increment of 5)
- 72 cells: DHM72X-xxxW (xxx= 370 - 390, in increment of 5)
- 72 cells: DHM72X/FS-xxxW (xxx= 370 - 390, in increment of 5)
- 60 cells: DHM60X-xxxW (xxx= 310 - 325, in increment of 5)
- 60 cells: DHM60X/FS-xxxW (xxx= 310 - 325, in increment of 5)

Module types: **PV Modules with Mono-crystalline Silicon Half-cut Solar Cells (156.75mm to 166mm):**

- 144 cells: HCM72-xxxW (xxx = 350 - 390, in increment of 5)
- 144 cells: HCM72/FS-xxxW (xxx = 350 - 390, in increment of 5)
- 120 cells: HCM60-xxxW (xxx = 290 - 325, in increment of 5)
- 120 cells: HCM60/FS-xxxW (xxx = 290 - 325, in increment of 5)
- 156 cells: HCM78X9-xxxW (xxx = 415 - 455, in increment of 5)
- 156 cells: HCM78X9/FS-xxxW (xxx = 415 - 455, in increment of 5)
- 144 cells: HCM72X9-xxxW (xxx = 385 - 420, in increment of 5)
- 144 cells: HCM72X9/FS-xxxW (xxx = 385 - 420, in increment of 5)
- 120 cells: HCM60X9-xxxW (xxx = 320 - 350, in increment of 5)
- 120 cells: HCM60X9/FS-xxxW (xxx = 320 - 350, in increment of 5)
- 144 cells: DHM-72L9-xxxW (xxx = 430 - 465, in increment of 5)
- 144 cells: DHM-72L9(BW)-xxxW (xxx = 430 - 465, in increment of 5)
- 144 cells: DHM-72L9(BB)-xxxW (xxx = 430 - 465, in increment of 5)
- 144 cells: DHM-72L9/FS-xxxW (xxx = 430 - 465, in increment of 5)
- 144 cells: DHM-72L9/FS(BW)-xxxW (xxx = 430 - 465, in increment of 5)
- 144 cells: DHM-72L9/FS(BB)-xxxW (xxx = 430 - 465, in increment of 5)
- 144 cells: DHM-72L9/BF-xxxW (xxx = 430 - 465, in increment of 5)
- 144 cells: DHM-72L9/BF(BW)-xxxW (xxx = 430 - 465, in increment of 5)
- 144 cells: DHM-72L9/BF(BB)-xxxW (xxx = 430 - 465, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

144 cells: DHM-72L9/BF/FS -xxxW (xxx = 430 - 465, in increment of 5)
144 cells: DHM-72L9/BF/FS(BW)-xxxW (xxx = 430 - 465, in increment of 5)
144 cells: DHM-72L9/BF/FS(BB)-xxxW (xxx = 430 - 465, in increment of 5)
132 cells: DHM-66L9-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9(BW)-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9(BB)-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/FS-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/FS(BW)-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/FS(BB)-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/BF-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/BF(BW)-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/BF(BB)-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/BF/FS -xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/BF/FS(BW)-xxxW (xxx = 395 - 425, in increment of 5)
132 cells: DHM-66L9/BF/FS(BB)-xxxW (xxx = 395 - 425, in increment of 5)
120 cells: DHM-60L9-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9(BW)-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9(BB)-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/FS-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/FS(BW)-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/FS(BB)-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/BF-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/BF(BW)-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/BF(BB)-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/BF/FS -xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/BF/FS(BW)-xxxW (xxx = 360 - 385, in increment of 5)
120 cells: DHM-60L9/BF/FS(BB)-xxxW (xxx = 360 - 385, in increment of 5)

Module types:

PV Modules with 182mm Mono-crystalline Silicon Half-cut Solar Cells:

156 cells: DHM-78X10-xxxW (xxx = 570 - 590, in increment of 5)
156 cells: DHM-78X10(BW)-xxxW (xxx = 570 - 590, in increment of 5)
156 cells: DHM-78X10(BB)-xxxW (xxx = 570 - 590, in increment of 5)
156 cells: DHM-78X10/FS-xxxW (xxx = 570 - 590, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

156 cells: DHM-78X10/FS(BW)-xxxW (xxx = 570 - 590, in increment of 5)
156 cells: DHM-78X10/FS(BB)-xxxW (xxx = 570 - 590, in increment of 5)
156 cells: DHM-78X10/BF-xxxW (xxx = 570 - 590, in increment of 5)
156 cells: DHM-78X10/BF(BW)-xxxW (xxx = 570 - 590, in increment of 5)
156 cells: DHM-78X10/BF(BB)-xxxW (xxx = 570 - 590, in increment of 5)
156 cells: DHM-78X10/BF/FS -xxxW (xxx = 570 - 590, in increment of 5)
156 cells: DHM-78X10/BF/FS(BW)-xxxW (xxx = 570 - 590, in increment of 5)
156 cells: DHM-78X10/BF/FS(BB)-xxxW (xxx = 570 - 590, in increment of 5)
144 cells: DHM-72X10-xxxW (xxx = 525 - 555, in increment of 5)
144 cells: DHM-72X10(BW)-xxxW (xxx = 525 - 555, in increment of 5)
144 cells: DHM-72X10(BB)-xxxW (xxx = 525 - 555, in increment of 5)
144 cells: DHM-72X10/FS-xxxW (xxx = 525 - 555, in increment of 5)
144 cells: DHM-72X10/FS(BW)-xxxW (xxx = 525 - 555, in increment of 5)
144 cells: DHM-72X10/FS(BB)-xxxW (xxx = 525 - 555, in increment of 5)
144 cells: DHM-72X10/BF-xxxW (xxx = 525 - 555, in increment of 5)
144 cells: DHM-72X10/BF(BW)-xxxW (xxx = 525 - 555, in increment of 5)
144 cells: DHM-72X10/BF(BB)-xxxW (xxx = 525 - 555, in increment of 5)
144 cells: DHM-72X10/BF/FS -xxxW (xxx = 525 - 555, in increment of 5)
144 cells: DHM-72X10/BF/FS(BW)-xxxW (xxx = 525 - 555, in increment of 5)
144 cells: DHM-72X10/BF/FS(BB)-xxxW (xxx = 525 - 555, in increment of 5)
132 cells: DHM-66X10-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10(BW)-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10(BB)-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10/FS-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10/FS(BW)-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10/FS(BB)-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10/BF-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10/BF(BW)-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10/BF(BB)-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10/BF/FS -xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10/BF/FS(BW)-xxxW (xxx = 485 - 505, in increment of 5)
132 cells: DHM-66X10/BF/FS(BB)-xxxW (xxx = 485 - 505, in increment of 5)
120 cells: DHM-60X10-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10(BW)-xxxW (xxx = 440 - 460, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

120 cells: DHM-60X10(BB)-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10/FS-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10/FS(BW)-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10/FS(BB)-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10/BF-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10/BF(BW)-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10/BF(BB)-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10/BF/FS-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10/BF/FS(BW)-xxxW (xxx = 440 - 460, in increment of 5)
120 cells: DHM-60X10/BF/FS(BB)-xxxW (xxx = 440 - 460, in increment of 5)
108 cells: DHM-54X10-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10(BW)-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10(BB)-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10/FS-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10/FS(BW)-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10/FS(BB)-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10/BF-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10/BF(BW)-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10/BF(BB)-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10/BF/FS-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10/BF/FS(BW)-xxxW (xxx = 395 - 415, in increment of 5)
108 cells: DHM-54X10/BF/FS(BB)-xxxW (xxx = 395 - 415, in increment of 5)

Module types:

PV Modules with 182mm Mono-crystalline Silicon 1/3-cut Solar Cells:

216 cells: DHT-M72X10-xxxW (xxx = 525 - 555, in increment of 5)
216 cells: DHM-T72X10-xxxW (xxx = 525 - 555, in increment of 5)
216 cells: DHM-T72X10(BW)-xxxW (xxx = 525 - 555, in increment of 5)
216 cells: DHM-T72X10(BB)-xxxW (xxx = 525 - 555, in increment of 5)
216 cells: DHM-T72X10/FS-xxxW (xxx = 525 - 555, in increment of 5)
216 cells: DHM-T72X10/FS(BW)-xxxW (xxx = 525 - 555, in increment of 5)
216 cells: DHM-T72X10/FS(BB)-xxxW (xxx = 525 - 555, in increment of 5)
216 cells: DHM-T72X10/BF-xxxW (xxx = 525 - 555, in increment of 5)
216 cells: DHM-T72X10/BF(BW)-xxxW (xxx = 525 - 555, in increment of 5)
216 cells: DHM-T72X10/BF(BB)-xxxW (xxx = 525 - 555, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products

216 cells: DHM-T72X10/BF/FS -xxxW (xxx = 525 - 555, in increment of 5)
216 cells: DHM-T72X10/BF/FS(BW)-xxxW (xxx = 525 - 555, in increment of 5)
216 cells: DHM-T72X10/BF/FS(BB)-xxxW (xxx = 525 - 555, in increment of 5)
180 cells: DHT-M60X10-xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10-xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10(BW)-xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10(BB)-xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10/FS-xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10/FS(BW)-xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10/FS(BB)-xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10/BF-xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10/BF(BW)-xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10/BF(BB)-xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10/BF/FS -xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10/BF/FS(BW)-xxxW (xxx = 440 - 460, in increment of 5)
180 cells: DHM-T60X10/BF/FS(BB)-xxxW (xxx = 440 - 460, in increment of 5)



TÜV NORD CERT GmbH
Certification Body
Consumer Products